

TCB

GRANT OF EQUIPMENT
AUTHORIZATION

TCB

Certification
Issued Under the Authority of the
Federal Communications Commission
By:

DERYCOM CERTIFICATION SERVICES,
INC.
1100 Falcon Avenue
Glencoe, MN 55336

Date of Grant: 05/22/2025

Application Dated: 05/22/2025

SAIN3 LLC
36 Berkley Drive
Newark, DE 19702

Attention: Damon Cheng , President

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
VALID ONLY for the equipment identified hereon for use under the Commission's
Rules and Regulations listed below.

FCC IDENTIFIER: 2AN62-DB25DPRO

Name of Grantee: SAIN3 LLC

Equipment Class: Scanning Receiver
Notes: DMR Mini Mobile Radio

Grant Notes

FCC Rule Parts


15B
15B

Frequency
Range (MHZ)
136.0 - 174.0
400.0 - 480.0

Output
Watts

Frequency
Tolerance

Emission
Designator



TCB

GRANT OF EQUIPMENT
AUTHORIZATION

TCB

Certification
Issued Under the Authority of the
Federal Communications Commission
By:

DERYCOM CERTIFICATION SERVICES,
INC.
1100 Falcon Avenue
Glencoe, MN 55336

Date of Grant: 05/22/2025

Application Dated: 05/22/2025

SAIN3 LLC
36 Berkley Drive
Newark, DE 19702

Attention: Damon Cheng , President

NOT TRANSFERABLE

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is
VALID ONLY for the equipment identified hereon for use under the Commission's
Rules and Regulations listed below.

FCC IDENTIFIER: 2AN62-DB25DPRO

Name of Grantee: SAIN3 LLC

Equipment Class: Licensed Non-Broadcast Station Transmitter
Notes: DMR Mini Mobile Radio

| <u>Grant Notes</u> | <u>FCC Rule Parts</u> | <u>Frequency Range (MHZ)</u> | <u>Output Watts</u> | <u>Frequency Tolerance</u> | <u>Emission Designator</u> |
|--------------------|-----------------------|----------------------------------|-------------------------|--------------------------------|--------------------------------|
| | 90 | 136.0 - 174.0 | 19.4984 | 1.093 PM | 9K98F3E |
| | 90 | 136.0 - 174.0 | 4.8865 | 1.085 PM | 9K98F3E |
| | 90 | 136.0 - 174.0 | 19.7242 | 1.093 PM | 7K78F1D |
| | 90 | 136.0 - 174.0 | 19.7242 | 1.093 PM | 7K78F1W |
| | 90 | 136.0 - 174.0 | 4.9317 | 1.085 PM | 7K61F1D |
| | 90 | 136.0 - 174.0 | 4.9317 | 1.085 PM | 7K61F1W |
| | 90 | 400.0 - 406.0 | 19.7242 | 1.082 PM | 9K98F3E |
| | 90 | 406.1 - 480.0 | 19.7242 | 1.082 PM | 9K98F3E |
| | 90 | 400.0 - 406.0 | 4.9317 | 1.073 PM | 9K98F3E |
| | 90 | 406.1 - 480.0 | 4.9317 | 1.073 PM | 9K98F3E |
| | 90 | 400.0 - 406.0 | 19.7242 | 1.082 PM | 7K92F1D |
| | 90 | 406.1 - 480.0 | 19.7242 | 1.082 PM | 7K92F1D |
| | 90 | 400.0 - 406.0 | 19.7242 | 1.082 PM | 7K92F1W |
| | 90 | 406.1 - 480.0 | 19.7242 | 1.082 PM | 7K92F1W |
| | 90 | 400.0 - 406.0 | 4.8865 | 1.073 PM | 8K03F1D |
| | 90 | 406.1 - 480.0 | 4.8865 | 1.073 PM | 8K03F1D |
| | 90 | 400.0 - 406.0 | 4.8865 | 1.073 PM | 8K03F1W |
| | 90 | 406.1 - 480.0 | 4.8865 | 1.073 PM | 8K03F1W |

Power output listed is conducted. The antenna used with this transmitter must be installed to provide a minimum separation distance of at least 169 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-users must be provided with operating procedures for satisfying RF exposure compliance.